

PRODUCT CATALOG



A division of **keder**[®]
SOLUTIONS

V.26.1

ABOUT: KEDER MACROPRINT

Keder MacroPrint™ is a division of Keder Solutions, catering specifically to the Sign, Banner, and Printing industries. Backed by decades of hands-on experience, our team brings deep industry knowledge to every aspect of the Print-to-Finish process, empowering our clients to produce outstanding results with confidence and precision.

We specialize in serving all major print platforms, including Latex, UV, Solvent, and DyeSub technologies, ensuring compatibility and performance. Whether you're tackling banners, backlit displays, wall coverings, or other grand-format applications, Keder MacroPrint™ delivers the tools and expertise to bring your projects to life.

At Keder MacroPrint™, we are more than just a supplier. We are your trusted partner, dedicated to supporting your creative vision and operational success. From high-quality materials to personalized technical guidance, we are here to help you achieve superior print quality and set a new standard in the large-format digital print industry.

CUSTOMIZED SOLUTIONS

Part of our mission includes streamlining our clients' projects by providing tailored solutions to meet their specific needs. We regularly develop unique accessories and custom extrusions to address complex challenges. If the item you require is not listed in this catalog, please get in touch with us to discuss a customized solution.



CO TECH
OLUTIONS

INNOVATIVE
GREEN TECHNOLOGIES

NEX
INNOVA

TABLE OF CONTENTS

Frames and Rails	3
Dye Sub Fabrics	4
PVC Fabrics	5
Flat Keder & Finishing	6
Supplies	
Keder & PVC Cord	7

FRAMES

SEG ExpoFrame™

A lightweight PVC rail system compatible with flat keder, delivering the same professional finish as aluminum at 40% less cost.

Keder Compatibility: 12 mm. x 3 mm. Flat Keder
 Unit Length: 196.85 in. (5 m.)
 Material: PVC
 Color: Gray
 Connecting corner piece also available for purchase.
 Connectors are sold in sets of 25.



SEG-PVC-16

GripFrame™

GripFrame™ is a fast, no-fuss system for large-scale graphics and fleet installs. Perfect for banners, truckside graphics, and quick-change displays that demand a clean, professional look.

Size: Top Plate = 74 mm., Bottom Plate = 68 mm.
 Unit Length: 204 in. (5.18 m.)
 Material: Top Plate = Aluminum, Anodized
 Bottom Plate = Aluminum, Mill



ALUMINUM RAILS

8.5 mm. Straight Rail



85-SKR

Keder Compatibility: 6 - 8.5 mm.
 Unit Length: 196.85 in. (5 m.)
 Material: Aluminum, Anodized


8.5 mm. 90° Rail



85-SKR-90

Keder Compatibility: 6 - 8.5 mm.
 Unit Length: 196.85 in. (5 m.)
 Material: Aluminum, Anodized

8.5 mm. Awning Rail



85-AWR-90-MF

Keder Compatibility: 7.5 - 8.5 mm.
 Unit Length: 93 in. (2.36 m.)
 Material: Aluminum, Mill

9 mm. Double Rail



90-KR-DUB

Keder Compatibility: 7.5 - 11 mm.
 Unit Length: 196.85 in. (5 m.)
 Material: Aluminum, Anodized

13 mm. Straight Rail



13-SKR

Keder Compatibility: 8.5 - 13 mm.
 Unit Length: 196.85 in. (5 m.)
 Material: Aluminum, Anodized

13 mm. 90° Rail




13-SKR-90

Keder Compatibility: 8.5 - 13 mm.
 Unit Length: 196.85 in. (5 m.)
 Material: Aluminum, Anodized

AeroMesh™ 3.4 oz.

100% polyester soft textured mesh with semi glossy finish and excellent ink penetration with Dye-Direct printing makes this fabric great for short-term fence graphics.

Weight: 3.4 oz. Printable
Shrinkage: < 2%
Unit Width: 70, 92, 126 in.
Unit Length: 110, 220 yds.
Ink Printability: Dye Paper, Dye Direct



KM-AEROMESH-3.4

DisplayTex™ 5.6 oz.

100% polyester stretch fabric and consistent stretch in (2) directions makes this fabric ideal for Front-lit SEG Graphics, geometric shapes, backdrops, and tradeshow displays and provides excellent performance in printing and finishing.

Weight: 5.6 oz. Printable
Shrinkage: < 2%
Unit Width: 126 in.
Unit Length: 110 yds.
Ink Printability: Dye Paper, Dye Direct



KM-FAB-5.6DT

Nexus Blackback™ 7.9 oz.

100% warp-knitted polyester fabric with white surface & black resin coated backing, offering full opacity. Slight stretch material makes it perfect for frames and pop-ups.

Weight: 7.9 oz. Printable
Shrinkage: < 3%
Unit Width: 126, 196 in.
Unit Length: 110 yds.
Ink Printability: Dye Paper, Dye Direct, Latex, UV



KM-FAB-7.9BB-PRO

Quantum Greyback™ 9.7 oz.

100% warp-knitted polyester fabric with enhanced white surface & uncoated greyback offers crease-free performance when folded. Soft hand touch, slight stretch & good opacity, that offers a unique solution for backdrops.

Weight: 9.7 oz. Printable
Shrinkage: < 2%
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Ink Printability: Dye Paper, Dye Direct



KM-FAB-9.7GB


Keder MacroPrint™ DyeSub fabrics deliver brilliant, high-resolution graphics with deep color saturation and sharp detail. Lightweight yet durable, these fabrics are ideal for banners, SEG frames, trade shows, and backdrops offering wrinkle-resistance, washability, and easy installation, ensuring vibrant, long-lasting visual impact.



PVC Banner Matte 13 oz.

White non-opaque substrate for frontlit display, strong durable base and Matte Finish provides a low-glare print surface and makes this fabric perfect for large billboards and banners.

Weight: 13 oz. Printable
 Unit Width: 126, 196 in.
 Unit Length: 55 yds.
 Tensile Strength: 163 x 128 lbs./in.
 Tear Strength: 61 x 47 lbs.
 Ink Printability: Latex, SOL, ECO SOL, UV



KM-AEROMESH-3.4

PVC Banner Matte Blackback 13 oz. (Frontlit)

Smooth surface with black-backside and matte finish provides a low-glare print surface and optimal opacity for front-illuminated hanging signs, banners, and billboards.

Weight: 13 oz. Printable
 Unit Width: 126, 196 in.
 Unit Length: 55 yds.
 Tensile Strength: 163 x 128 lbs./in.
 Tear Strength: 61 x 47 lbs.
 Ink Printability: Latex, SOL, ECO SOL, UV




KM-PVC-13M-BB

PVC Banner DS Blockout 18 oz.

1000D x 1000D, 18x18 base fabric with woven structure, super smooth surface, and perfect opacity on both sides makes this fabric more stable and durable with consistent high resolution print quality. Best suited for long term outdoor applications.

Weight: 18 oz. Printable
 Unit Width: 126 in.
 Unit Length: 55 yds.
 Tensile Strength: 318 x 294 lbs./in.
 Tear Strength: 119 x 104 lbs.
 Ink Printability: Latex, SOL, ECO SOL, UV




KM-PVC-18M

PVC Mesh 8 oz. and PVC Mesh 8 oz. + Liner

60/40 Mesh with a soft and clean surface make this fabric a great choice for fence graphics, barricade covers and large banners that require flow through. This is the most commonly used PVC mesh solution on the market.

Weight:	8 oz. Printable	11 oz. Printable (mesh + liner)
Unit Width:	126, 196 in.	126, 196 in.
Unit Length:	55, 110 yds.	55 yds.
Tensile Strength:	195.7 x 156 lbs./in.	170 x 140 lbs./in.
Tear Strength:	168 x 123 lbs.	63 x 50 lbs.
Ink Printability:	Latex, SOL, ECO SOL, UV	Latex, SOL, ECO SOL, UV



KM-PVCMESH-8 and KM-PVCMESH+LIN-8

Keder MacroPrint™ PVC fabrics offer strength, durability, and weather resistance, making them perfect for indoor and outdoor displays. With smooth print surfaces, these fabrics support bold, vibrant graphics, easy to clean and maintain surfaces, and reliable performance for banners, billboards, backdrops, and event signage.



FLAT KEDER

Silicone Flat Keder

FKE-SCN

Available sizes and colors:

- 9 mm. x 3 mm. (White)
- 12 mm. x 2.65 mm. (White)
- 12 mm. x 3 mm. (White)
- 14 mm. x 3 mm. (White)

Sold in spools of 450, 500, and 1000 ft.

Customer sizes available.
Powder and Talc Free



PVC Flat Keder

FKE-PVC

Available sizes and colors:

- 9 mm. x 3 mm. (White)
- 12 mm. x 1.5 mm. (White)
- 12 mm. x 2.65 mm. (White)
- 12 mm. x 3 mm. (White, Clear)
- 14 mm. x 3 mm. (White, Clear)

Sold in spools of 450, 500, and 1000 ft.

Custom sizes available.



Recycled PVC Flat Keder

FKE-RPVC-CLEAR

Available sizes and colors:

- 9 mm. x 3 mm. (Clear)
- 12 mm. x 2.65 mm. (Clear)
- 12 mm. x 3 mm. (Clear)
- 14 mm. x 3 mm. (Clear)

Sold in spools of 450, 500, and 1000 ft.

Custom sizes available.



Flat Keder is the preferred finishing method for Silicone Edge Graphics (SEG), a cutting-edge solution in display advertising. This flat, flexible strip is sewn to the edge of printed textile graphics, allowing the signage to slot cleanly into aluminum or PVC frames. The result is a taut, frameless look that's sleek, professional and easy to update.

US Made by our parent company Keder Solutions.

FINISHING SUPPLIES

Grommets

GROMMET-2-NICKEL

Material: Nickel
Color: Silver
Size: #2
Unit: Box of 500/each*
Case of 5000/each*

*Each is flat washer & grommet



Hemming Tape

BHT

Unit Width: 1, 1.5 in.
Unit Length: 36 yds.



Hook & Loop

Sew On

Unit Width: 1, 2, 3, 4 in.
Unit Length: 50 yds.
Color: Black, White

Adhesive

Unit Width: 1, 2 in.
Unit Length: 25 yds.
Color: Black, White

NHK, NLP | NHK-ADH, NLP-ADH



Both sides (hook side and loop side) sold separately.

Webbing

WEB

Unit Width: 1, 1.5, 2 in.
Unit Length: 100 yd.
Color: Black, White

*Also available in Berry and weldable



Zipper By The Mile


Color: White
Unit: Continuous zipper sold in 50 yd. rolls



WHAT IS KEDER?

Keder consists of two key parts: cord and fabric. The cord is made of extruded PVC and is then wrapped in a keder fabric. Our Keder Fabrics are designed with exposed fibers to allow the keder to slide more easily into the keder rail. The flap of the keder can then be sewn to your material or welded by heating the inner lining of the keder.

HOW KEDER WORKS



Double Flap Keder

Size: 4 - 15 mm.
 Unit Length: 200 yds.
 Weld Size: 10 mm.
 Flap Size: 4-6 mm. Keder = 20 mm.
 7.5 - 15 mm. Keder = 30 mm.

Single Flap Keder

Size: 4 - 15 mm.
 Unit Length: 200 yds.
 Weld Size: 10 mm.
 Flap Size: 6 mm. Keder = 25 mm.
 7.5 - 8.5 mm. Keder = 20 mm.
 11-13 mm. Keder = 30 mm.

Welded Flap Keder

Size: 6 - 8.5 mm.
 Unit Length: 100 yds.
 Weld Size: 20 mm.

Available in Standard, Panama, Anti-wick™, Berry, and High-Density Polyester fabrics.
 Our Keder and Keder Cord is U.S. Manufactured by our parent company **keder SOLUTIONS**

PVC KEDER CORD

- Sold by the Yard
- PVC Material
- Sizes Available from 2-14 mm.
- See the Keder Cord Size Chart Below
- US manufactured by our parent company Keder Solutions



PVC CORD SIZES

Our color-coded Keder Cord system makes selecting the right Keder Cord easy. The figure below shows our Keder Cord sizes. If you are not finding what you need, we are ready to create custom orders. For inventoried items, cut yardage can be accommodated with a quote. For more unique keder orders, we offer a variety of custom sizes, specifications, fabrics, and features.

14.0 mm.	12.0 mm.	11.0 mm.	10.0 mm.	9.0 mm.	7.5 mm.	6.5 mm.	5.0 mm.	4.0 mm.	3.0 mm.	2.0 mm.
0.551 in.	0.427 in.	0.433 in.	0.393 in.	0.354 in.	0.295 in.	0.255 in.	0.196 in.	0.157 in.	0.118 in.	0.078 in.
35/64 in.	15/32 in.	7/16 in.	25/64 in.	23/64 in.	19/64 in.	1/4 in.	13/64 in.	5/32 in.	1/8 in.	5/64 in.
Gray	White	Yellow	Black	Purple	Blue	Green	Yellow	Orange	White	Red



Redefining Large Format Excellence, MacroPrint™ offers:

- **Expertise:** Decades of industry knowledge across all major print technologies (Latex, UV, Solvent, DyeSub).
- **Versatility:** Premium solutions for banners, wall coverings, and grand-format applications.
- **Efficiency:** Three U.S. warehouses for fast, reliable, nationwide shipping.
- **Support:** Dedicated technical guidance to ensure seamless print-to-finish operations.

CONTACT US TODAY!

+1 (602) 892-1000

SALES@KEDERMACROPRINT.COM

KEDERMACROPRINT.COM