

PRODUCT CATALOG



A division of **keder**
SOLUTIONS

V.26.2



ABOUT: KEDER MACROPRINT®



Keder MacroPrint® is a division of Keder Solutions®, catering specifically to the Sign, Banner, and Printing industries. Backed by decades of hands-on experience, our team brings deep industry knowledge to every aspect of the Print-to-Finish process, empowering our clients to produce outstanding results with confidence and precision.

We specialize in serving all major print platforms, including Latex, UV, Solvent, and DyeSub technologies, ensuring compatibility and performance. Whether you're tackling banners, backlit displays, wall coverings, or other grand-format applications, Keder MacroPrint® delivers the tools and expertise to bring your projects to life.

At Keder MacroPrint®, we are more than just a supplier. We are your trusted partner, dedicated to supporting your creative vision and operational success. From high-quality materials to personalized technical guidance, we are here to help you achieve superior print quality and set a new standard in the large-format digital print industry.

CUSTOMIZED SOLUTIONS

Part of our mission includes streamlining our clients' projects by providing tailored solutions to meet their specific needs. We regularly develop unique accessories and custom extrusions to address complex challenges. If the item you require is not listed in this catalog, please get in touch with us to discuss a customized solution.



TABLE OF CONTENTS

Frames and Rails	3
Dye Sub Fabrics	4
PVC Fabrics	5
Flat Keder & Finishing	6
Supplies	
Keder & PVC Cord	7

FRAMES

SEG ExpoFrame™

A lightweight PVC rail system compatible with flat keder, delivering the same professional finish as aluminum at 40% less cost.

Keder Compatibility: 12 mm. x 3 mm. Flat Keder

Unit Length: 196.85 in. (5 m.)

Material: PVC

Color: Gray

Connecting corner and straight pieces also available for purchase.

Connectors are sold in sets of 25.



GripFrame™

GripFrame™ is a fast, no-fuss system for large-scale graphics and fleet installs. Perfect for banners, truckside graphics, and quick-change displays that demand a clean, professional look.

Size: Top Plate = 74 mm., Bottom Plate = 68 mm.

Unit Length: 93 in. (2.36 m.), 204 in. (5.18 m.)

Material: Top Plate = Aluminum, Anodized

Bottom Plate = Aluminum, Mill



ALUMINUM RAILS

8.5 mm. Straight Rail




Keder Compatibility: 6 - 8.5 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

8.5 mm. 90° Rail



Keder Compatibility: 6 - 8.5 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

5 mm. and 8.5 mm. Awning Rail



Keder Compatibility: 5 mm. Rail = 4 - 6 mm.
8.5 mm. Rail = 7.5 - 8.5 mm.
Unit Length: 93 in. (2.36 m.)
Material: Aluminum, Mill
*8.5 mm. is also available in PVC and 90° rail

9 mm. Double Rail



Keder Compatibility: 6 - 11 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

*Also available in PVC

13 mm. Straight Rail



Keder Compatibility: 8.5 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

13 mm. 90° Rail



Keder Compatibility: 8.5 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

KEDERTAC™ DECAL MATERIAL DYESUB FABRICS



KederTac™ 84-RO - Temporary Decal Material

Print, Cut and Go with this NEW revolutionary Temporary Decal Material. 100% opaque with zero light transmission, clean removal, air egress adhesive for easier installation, and quick turn around on high volume orders.


Material: 8.4 mil. Double Layer Construction Including a Black Blockout Layer
Unit Size: 1 Roll - 60 in. x 50 yd. (750 sq. ft. per roll)
Color: Matte White
Ink Printability: Latex, SOL, ECO SOL, UV



AeroMesh® 3.4 oz.

100% polyester soft textured mesh with semi glossy finish and excellent ink penetration with Dye-Direct printing makes this fabric great for short-term fence graphics.

Weight: 3.4 oz. Printable
Shrinkage: < 2%
Unit Width: 70, 92, 126 in.
Unit Length: 110, 220 yds.
Ink Printability: Dye Paper, Dye Direct



KM-AEROMESH-3.4

Nexus Blackback™ 7.9 oz.

100% warp-knitted polyester fabric with white surface & black resin coated backing, offering full opacity. Slight stretch material makes it perfect for frames and pop-ups.

Weight: 7.9 oz. Printable
Shrinkage: < 3%
Unit Width: 126, 196 in.
Unit Length: 110 yds.
Ink Printability: Dye Paper, Dye Direct, Latex, UV



KM-FAB-7.9BB-PRO

Quantum Greyback® 9.7 oz.

100% warp-knitted polyester fabric with enhanced white surface & uncoated grey back offers crease-free performance when folded. Soft hand touch, slight stretch & good opacity, that offers a unique solution for backdrops.

Weight: 9.7 oz. Printable
Shrinkage: < 2%
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Ink Printability: Dye Paper, Dye Direct



KM-FAB-9.7GB


Keder MacroPrint® DyeSub fabrics deliver brilliant, high-resolution graphics with deep color saturation and sharp detail. Lightweight yet durable, these fabrics are ideal for banners, SEG frames, trade shows, and backdrops offering wrinkle-resistance, washability, and easy installation, ensuring vibrant, long-lasting visual impact.



PVC Banner Matte 13 oz.

White non-opaque substrate for frontlit display, strong durable base and Matte Finish provides a low-glare print surface and makes this fabric perfect for large billboards and banners.

Weight: 13 oz. Printable
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Tensile Strength: 163 x 128 lbs./in.
Tear Strength: 61 x 47 lbs.
Ink Printability: Latex, SOL, ECO SOL, UV




KM-PVC-13M

PVC Banner Matte Blackback 13 oz. (Frontlit)

Smooth surface with black-backside and matte finish provides a low-glare print surface and optimal opacity for front-illuminated hanging signs, banners, and billboards.

Weight: 13 oz. Printable
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Tensile Strength: 163 x 128 lbs./in.
Tear Strength: 61 x 47 lbs.
Ink Printability: Latex, SOL, ECO SOL, UV



KM-PVC-13MBB

PVC Banner DS Blockout 18 oz.

1000D x 1000D, 18x18 base fabric with woven structure, super smooth surface, and perfect opacity on both sides makes this fabric more stable and durable with consistent high resolution print quality. Best suited for long term outdoor applications.

Weight: 18 oz. Printable
Unit Width: 126 in.
Unit Length: 55 yds.
Tensile Strength: 318 x 294 lbs./in.
Tear Strength: 119 x 104 lbs.
Ink Printability: Latex, SOL, ECO SOL, UV




KM-PVC-18M

PVC Mesh and PVC Mesh + Liner

PVC Mesh with a soft and clean surface makes this fabric a great choice for fence graphics, barricade covers and large banners that require flow through. This is the most commonly used PVC mesh solution on the market. Ink Printability: Latex, SOL, ECO SOL, and UV.

	<u>8 oz. Mesh</u>	<u>9 oz. Mesh</u>	<u>8 oz. Mesh + Liner</u>
Weight:	8 oz.	9 oz.	11 oz.
Unit Width:	126, 196 in.	126, 196 in.	126 in.
Unit Length:	55, 110 yds.	110 yds.	55 yds.
Tensile Strength:	195.7 x 156 lbs./in.	319 X 251 lbs./in.	170 x 140 lbs./in.
Tear Strength:	168 x 123 lbs.	110.2 x 49.5 lbs.	63 x 50 lbs.



KM-PVCMESH-8, KM-PVCMESHTW-9, KM-PVCMESH+LIN-8

Keder MacroPrint® PVC vinyls offer strength, durability, and weather resistance, making them perfect for indoor and outdoor displays. With smooth print surfaces, these fabrics support bold, vibrant graphics, easy to clean and maintain surfaces, and reliable performance for banners, billboards, backdrops, and event signage.



FLAT KEDER

Silicone Flat Keder

FKE-SCN

Available sizes and colors:

- 9 mm. x 3 mm. (White)
- 12 mm. x 1.5 mm. (White)
- 12 mm. x 2.65 mm. (White)
- 12 mm. x 3 mm. (White)
- 14 mm. x 3 mm. (White)

Sold in spools of 450, 500, 1000 ft.
Custom sizes available.
Powder and Talc Free




PVC Flat Keder

FKE-PVC

Available sizes and colors:

- 9 mm. x 3 mm. (White)
- 12 mm. x 1.5 mm. (White)
- 12 mm. x 2.65 mm. (White)
- 12 mm. x 3 mm. (White, Clear)
- 14 mm. x 3 mm. (White, Clear)

Sold in spools of 450, 500, 1000 ft.
Custom sizes available.



Recycled PVC Flat Keder

FKE-RPVC-CLEAR

Available sizes and colors:

- 9 mm. x 3 mm. (Clear)
- 12 mm. x 2.65 mm. (Clear)
- 12 mm. x 3 mm. (Clear)
- 14 mm. x 3 mm. (Clear)

Sold in spools of 450, 500, 1000 ft.
Custom sizes available.



EcoEdge TPE™ Flat Keder

FKE-TPE

Available sizes and colors:

- 12 mm. x 3 mm. (Natural)
- 14 mm. x 3 mm. (Natural)

Material: Recyclable TPE

Sold in spools of 450, 500 ft.
Custom sizes available.



Reliable Performance. Made in the USA.

- Secure, Professional Finish – Creates smooth, taut, wrinkle-free SEG graphics with a consistent fit for a clean, polished appearance.
- Versatile & Production-Friendly – Available in multiple materials, sizes and colors to meet a wide range of SEG framing and production requirements.
- Reliable High Quality Products – Domestic manufacturing delivers consistent quality, faster lead times and a more reliable supply chain, with custom capabilities to meet your needs.

FINISHING SUPPLIES

Hook & Loop


Sew On

Unit Width: 1, 2, 3, 4 in.
Unit Length: 50 yds.
Color: Black, White

Adhesive

Unit Width: 1, 2 in.
Unit Length: 25 yds.
Color: Black, White

NHK, NLP | NHK-ADH, NLP-ADH



Both sides (hook side and loop side) sold separately.

Webbing

Lightweight

Unit Width: 1.25, 2 in.

Heavyweight

Unit Width: 1, 1.5, 2 in.

Unit Length: 100 yds.

Color: Black, White

*Also available in Berry and weldable

WEB



Hemming Tape

BHT

Unit Width: 1, 1.25, 1.5 in.


Unit Length: 36 yds.




WHAT IS KEDER?

Keder consists of two key parts: cord and fabric. The cord is made of extruded PVC and is then wrapped in a keder fabric. Our Keder Fabrics are designed with exposed fibers to allow the keder to slide more easily into the keder rail. The flap of the keder can then be sewn to your material or welded by heating the inner lining of the keder.

HOW KEDER WORKS




Double Flap Keder




Size: 4 - 15 mm.
Unit Length: 200 yds.
Weld Size: 10 mm.
Flap Size: 4-6 mm. Keder = 20 mm.
7.5 - 15 mm. Keder = 30 mm.

Single Flap Keder



Size: 4 - 15 mm.
Unit Length: 200 yds.
Weld Size: 10 mm.
Flap Size: 6 mm. Keder = 25 mm.
7.5 - 8.5 mm. Keder = 20 mm.
11-13 mm. Keder = 30 mm.

Welded Flap Keder



Size: 6 - 8.5 mm.
Unit Length: 100 yds.
Weld Size: 20 mm.

Available in Standard, Panama, Anti-wick™, Berry, and High-Density Polyester fabrics.
Our Keder and Keder Cord is U.S. Manufactured by our parent company **keder** SOLUTIONS

PVC KEDER CORD

- Sold by the Yard
- PVC Material
- Sizes Available from 2-14 mm.
- See the Keder Cord Size Chart Below
- US manufactured by our parent company Keder Solutions



PVC CORD SIZES

Our color-coded Keder Cord system makes selecting the right Keder Cord easy. The figure below shows our Keder Cord sizes. If you are not finding what you need, we are ready to create custom orders. For inventoried items, cut yardage can be accommodated with a quote. For more unique keder orders, we offer a variety of custom sizes, specifications, fabrics, and features.

										
14.0 mm.	12.0 mm.	11.0 mm.	10.0 mm.	9.0 mm.	7.5 mm.	6.5 mm.	5.0 mm.	4.0 mm.	3.0 mm.	2.0 mm.
0.551 in.	0.427 in.	0.433 in.	0.393 in.	0.354 in.	0.295 in.	0.255 in.	0.196 in.	0.157 in.	0.118 in.	0.078 in.
35/64 in.	15/32 in.	7/16 in.	25/64 in.	23/64 in.	19/64 in.	1/4 in.	13/64 in.	5/32 in.	1/8 in.	5/64 in.
Gray	White	Yellow	Black	Purple	Blue	Green	Yellow	Orange	White	Red



UL-2200

keder
MACROPRINT®
Your Vision. Our Supply.

Redefining Large Format Excellence, Keder MacroPrint® offers:

- **Expertise:** Decades of industry knowledge across all major print technologies (Latex, UV, Solvent, DyeSub).
- **Versatility:** Premium solutions for banners, wall coverings, and grand-format applications.
- **Efficiency:** Three U.S. warehouses for fast, reliable, nationwide shipping.
- **Support:** Dedicated technical guidance to ensure seamless print-to-finish operations.

CONTACT US TODAY!

+1 (602) 892-1000

SALES@KEDERMACROPRINT.COM

KEDERMACROPRINT.COM

A division of **keder**
SOLUTIONS

ketersolutions.com

V.26.2